



Extends to 4.5m

**Multi-Directional
light heads**

A PREMIUM, HIGH-OUTPUT TOWER LIGHT DELIVERING 120,000 LUMENS OF PRECISION ILLUMINATION FOR PROFESSIONAL APPLICATIONS



- **Exceptional Coverage:** Lights up to 3,850m² with 360° or directional beam control for tailored visibility.
- **Extended Runtime:** Powered by an 18/30Ah LFP battery offering up to 48 hours runtime or AC mains for constant operation.
- **Rugged & Reliable:** Built with IP67-rated housing and a stable 4m tripod for extreme terrain and weather.



STRATOSTAR RANGE


**120,000
LUMENS**


**UP TO 48H
RUNTIME**


**3850M²
BEAM**


**IP67
RATED**



2 BATTERY OPTIONS:



**18Ah or 30Ah
LifePO4 battery, 1540Wh**

MODES High - Medium - Low
Dimmable



**3 TO 48hrs Runtime
AC: CONTINUOUS**



8hrs charging time



Light head: 438 x 290mm



18Ah: 18.3kg | 30Ah: 23.8kg

CODE

**18Ah: NSSTRATOSTAR
30Ah: NSSTRATOSTAR-X**

**Supplied with protective bags,
battery pack, tripod and AC mains charger**

**Optional Accessories:
400mm Ground anchors:
SPGROUNDANCHORS**





HAND WINCH TRIPOD WITH SAFETY LOCK



LCD PROGRAMMABLE DISPLAY



FULLY ADJUSTABLE LIGHT HEAD, 360 DEGREE BEAM

PORTABLE – SEPARATES INTO 3 EASY TO CARRY PARTS LIGHT HEAD – TRIPOD – BATTERY PACK



**Supplied in protective carry bags with
carry handle and shoulder straps**



 **YouTube**
Scan to find
out more





STRATOSTAR OPTIONS:

OPTION 1 (A or B) – BATTERY POWERED ONLY

LIGHTWEIGHT VERSION

A  **18AH
BATTERY PACK**
NSSTRATOSTAR-18

LONG-RUNTIME VERSION

B  **30AH
BATTERY PACK**
NSSTRATOSTAR-X-30

OPTION 2 (A or B) – HYBRID POWERED

A  **18AH
BATTERY PACK
+ 110V OR 230V
AC ADAPTOR**
NSSTRATOSTAR

B  **30AH
BATTERY PACK
+ 110V OR 230V
AC ADAPTOR**
NSSTRATOSTAR-X

OPTION 3 (A or B) – AC MAINS POWERED ONLY

A  **110V
AC ADAPTOR**
NSSTRATOSTAR-AC-110V

B  **230V
AC ADAPTOR**
NSSTRATOSTAR-AC-240V



EXTENDABLE TRIPOD LEGS FOR UNEVEN SLOPES



BUILT IN LEVEL GAUGE



EXTENDABLE HANDLE